


CERTEST

PAGE 1 of 13

RECEIPT 30/11/2017

TESTING DATES FROM 01/12/2017 TO 07/12/2017

COMMITTENT
ONGETTA SRL UNIPERSONALE
VIA DALLA TORRE 5 LEVADA
31047 PONTE DI PIAVE TV
LABORATORY REPORT n° 1729144/E1 - Amendment of 11/12/2017
DENOMINATION Analyses purchased by: Giulia
 Article: SETOL RE NEW - REF. ONGETTA SRL and
 ITALTEXTIL SARATA SRL
 Colour: G. PAGLIERINO
 Type of Material: Liquid product
 Notes: Olio di Bozzima

 Delivery Note: /
 Final Customer: BLUMINE
 Requirements: DETOX PROGRAM
 Sampling: done by the client

Sample 01

Test	Pass	Fail	Failure result
APEO and AP in chemical - Inhouse Method CPSD AN 00745 rev2	X		
Short Chain Chlorinated Paraffins (SCCP) and Medium Chain Chlorinated Paraffins (MCCP) - Inhouse method CPSD-AN-00595 rev 3 2013	X		
Total Heavy metal contents for MRSL Inhouse Method: CPSD-AN-00742 rev 2 2016	X		
Phthalated in Chemicals Inhouse Method: CPSD-AN-00741 rev 3 2016	X		
Azo dyes in chemical -Inhouse Method CPSD AN 00739 ver 2 2016	X		
Solvent content by GC-HS - Inhouse Method: CPSD-AN-00748-MTHD ver 3 2016	X		
Chlorophenols in Chemical Inhouse Method: CPSD-AN-00740 rev 2 2016	X		
Perfluorinated Compounds in chemical Inhouse Method: CPSD-AN-00752 v3	X		
Chlorobenzenes and Chlorotoluenes in chemical Inhouse Method: CPSD-AN-00744 ver 2 2016	X		
Dyestuffs in chemical - Inhouse test Method: CPSD-AN-00757 ver3 2016	X		
Chromium VI in non metals materials - Test Method: CPSD AN 00047 ver18 2017	X		
Organotin in Chemicals Inhouse Method: CPSD-AN-00743 rev 2 2016	X		

Sample 02

Test	Pass	Fail	Failure result
Solvent extraction and GC-MS analysis	X		

Pass = Meets Buyer's requirements

Fail = Does not meet Buyer's requirements

-- = Buyer's requirements not defined

The values in brackets represent requirements stated in the document named in the "Requirements" field of the "Denomination" section

Continuing...

 Approved on behalf of BUREAU VERITAS CERTEST srl by:
 Dr. Verena BARTALINI – Laboratory Manager


Analysis valid for all legal purposes (R.D. 1 march 1928 n.842)


CERTEST

PAGE 2 of 13

RECEIPT 30/11/2017

TESTING DATES FROM 01/12/2017 TO 07/12/2017

COMMITTENT
ONGETTA SRL UNIPERSONALE
VIA DALLA TORRE 5 LEVADA
31047 PONTE DI PIAVE TV
LABORATORY REPORT n° 1729144/E1 - Amendment of 11/12/2017

TEST METHOD	PARAMETER	RESULT	LIMITS	U.M.	L.O.Q.	NOTES	ASSESS."
	Sample 1729144.01						
APEO and AP in chemical - Inhouse Method CPSD AN 00745 rev2 <u>Operating Conditions</u> - Solvent extraction -D determination by LC-MS+GC-MS analysis	4-n- Nonylphenol (4-n-NP) (CAS N. 104-40-5) 4-n-Octylphenol (n-OP) (CAS N. 1806-26-4) 4-tert-Octylphenol (tert-4-OP) (CAS N. 140-66-9) Nonylphenol (NPs) (CAS N. 84852-15-3) tert-Octylphenol (tert-OP) (CAS N. 27193-28-8) Nonylphenoethoxylates (IGEPAL CO-630), (NPEOs) (CAS N. 68412-54-4) Octylphenoethoxylates (Triton X-100), (OPEOs 2-16) (CAS N. 9002-93-1)	< L.O.Q.	<10	mg/kg	10		Pass
		< L.O.Q.	<10	mg/kg	10		Pass
		< L.O.Q.	<10	mg/kg	10		Pass
		< L.O.Q.	<10	mg/kg	10		Pass
		< L.O.Q.	<10	mg/kg	10		Pass
		< L.O.Q.	<10	mg/kg	10		Pass
		< L.O.Q.	<10	mg/kg	10		Pass
Short Chain Chlorinated Paraffins (SCCP) and Medium Chain Chlorinated Paraffins (MCCP) - Inhouse method CPSD-AN-00595 rev 3 2013 <u>Operating Conditions</u> - Solvent extraction - detection by GC-ECNI-MS.	Amount of extracted SCCP (C10-C13) (CAS N.85535-84-8)	< L.O.Q.	<30	mg/kg	30		Pass
Total Heavy metal contents for MRSL Inhouse Method: CPSD-AN-00742 rev 2 2016	Heavy Metals Total Cadmium [Cd] Content Total Lead [Pb] Content Total Mercury [Hg] Content	< L.O.Q.	<0,5	mg/kg	0,5		Pass
		< L.O.Q.	<0,5	mg/kg	0,5		Pass
		< L.O.Q.	<0,02	mg/kg	0,02		Pass
Phthalated in Chemicals Inhouse Method: CPSD-AN-00741 rev 3 2016 <u>Operating Conditions</u> - Solvent extraction - Determination by GC-MS analysis	Phthalate (*) Dibutyl Phthalate (DBP) (CAS N. 84-74-2)	< L.O.Q.	<50	mg/kg	50		Pass

Continuing...

 Approved on behalf of BUREAU VERITAS CERTEST srl by:
 Dr. Verena BARTALINI – Laboratory Manager


Analysis valid for all legal purposes (R.D. 1 march 1928 n.842)


CERTEST

PAGE 3 of 13

RECEIPT 30/11/2017

TESTING DATES FROM 01/12/2017 TO 07/12/2017

COMMITTENT
ONGETTA SRL UNIPERSONALE
VIA DALLA TORRE 5 LEVADA
31047 PONTE DI PIAVE TV
LABORATORY REPORT n° 1729144/E1 - Amendment of 11/12/2017

TEST METHOD	PARAMETER	RESULT	LIMITS	U.M.	L.O.Q.	NOTES	ASSESS."
	Bis-2-Ethylhexyl Phthalate (DEHP) (CAS N. 117-81-7)	< L.O.Q.	<50	mg/kg	50		Pass
	Butyl Benzil Phthalate (BBP) (CAS N. 85-68-7)	< L.O.Q.	<50	mg/kg	50		Pass
	Di-iso-nonyl Phthalate (DINP) (CAS N. 68515-48-0)	< L.O.Q.	<50	mg/kg	50		Pass
	Di-n-octyl Phthalate (DnOP) (CAS N. 117-84-0)	< L.O.Q.	<50	mg/kg	50		Pass
	Di-iso-decil Phthalate (DIDP) (CAS N. 68515-49-1)	< L.O.Q.	<50	mg/kg	50		Pass
	Di-isobutyl Phthalate (DIBP) (CAS N. 84-69-5)	< L.O.Q.	<50	mg/kg	50		Pass
	Di-n-hexyl Phthalate (DnHP) (CAS N. 84-75-3)	< L.O.Q.	<50	mg/kg	50		Pass
	Bis (2-Methoxyethyl) Phthalate (DMEP) (CAS N.117-82-8)	< L.O.Q.	<50	mg/kg	50		Pass
	Diundecil Phthalate (DHNUP) (CAS N. 68515-42-4)	< L.O.Q.	<50	mg/kg	50		Pass
	Di-isoheptyl Phthalate (DIHP) (CAS N. 71888-89-6)	< L.O.Q.	<50	mg/kg	50		Pass
	Dipentyl Phthalate (DPP) (CAS N. 131-18-0)	< L.O.Q.	<50	mg/kg	50		Pass
	Di-isopentyl Phthalate (DIPP) (CAS N. 605-50-5)	< L.O.Q.	<50	mg/kg	50		Pass
	N-pentyl-isopentyl phthalate (NPIPP) (CAS 776297-69-9)	< L.O.Q.	<50	mg/kg	50		Pass
	Dinonyl phthalate (DNP)	< L.O.Q.	<50	mg/kg	50		Pass
	Di-n-propyl phthalate (DPRP)	< L.O.Q.	<50	mg/kg	50		Pass
	Di-cyclohexyl phthalate (DCHP) (CAS N.84-61-7)	< L.O.Q.	<50	mg/kg	50		Pass
	Di-iso-octyl phthalate (DIOP)	< L.O.Q.	<50	mg/kg	50		Pass
Azo dyes in chemical -Inhouse Method CPSD AN 00739 ver 2 2016 Operating Conditions - Quantitative Analysis GC-MS - Confirmation by LC-DAD+LC MS	Aromatic amines derived from azodyes on fabric 4-Aminobiphenyl (CAS N 92-67-1) Benzidine (CAS 92-87-5) 4-Chloro-o-toluidine (CAS N. 95-69-2) 2-Naphthylamine (CAS N. 91-59-8) o-Aminoazotoluene (CAS 97-56-3) 5-nitro-o-toluidine (CAS 99-55-8) 4-Chloroaniline (CAS N. 106-47-8) 4-methoxy-m-phenylenediamine (CAS 615-05-04) 4,4'-methylenedianiline (CAS 101-77-9) 3,3'-Dichlorobenzidine (CAS N. 91-94-1)	< L.O.Q. < L.O.Q. < L.O.Q. < L.O.Q. < L.O.Q. < L.O.Q. < L.O.Q. < L.O.Q. < L.O.Q. < L.O.Q. < L.O.Q. < L.O.Q.	<10 <10 <10 <10 <10 <10 <10 <10 <10 <10 <10 <10	mg/kg mg/kg mg/kg mg/kg mg/kg mg/kg mg/kg mg/kg mg/kg mg/kg mg/kg mg/kg	10 10 10 10 10 10 10 10 10 10 10 10	(1) (1) MDA	Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass

Continuing...

 Approved on behalf of BUREAU VERITAS CERTEST srl by:
 Dr. Verena BARTALINI – Laboratory Manager


Analysis valid for all legal purposes (R.D. 1 march 1928 n.842)


CERTEST

PAGE 6 of 13

RECEIPT 30/11/2017

TESTING DATES FROM 01/12/2017 TO 07/12/2017

COMMITTENT
ONGETTA SRL UNIPERSONALE
VIA DALLA TORRE 5 LEVADA
31047 PONTE DI PIAVE TV
LABORATORY REPORT n° 1729144/E1 - Amendment of 11/12/2017

TEST METHOD	PARAMETER	RESULT	LIMITS	U.M.	L.O.Q.	NOTES	ASSESS."
	2H,2H,3H,3H-perfluoroundecanoic acid (H4PFUnA)	< L.O.Q.	<0,1	mg/kg	0,1		Pass
	1H,1H,2H,2H-Perfluorooctanesulphonic acid (1H,1H,2H,2H-PFOS)	< L.O.Q.	<0,1	mg/kg	0,1		Pass
	2-(N-ethylperfluoro-1-octanesulfonamido)-ethanol (N-EtFOSE)	< L.O.Q.	<0,1	mg/kg	0,1		Pass
	1H,1H,2H,2H-perfluoroacrylate (6:2 FTA)	< L.O.Q.	<0,1	mg/kg	0,1		Pass
	1H,1H,2H,2H-perfluorodecylacrylate (8:2 FTA)	< L.O.Q.	<0,1	mg/kg	0,1		Pass
	1H,1H,2H,2H-perfluorododecylacrylate (10:2 FTA)	< L.O.Q.	<0,1	mg/kg	0,1		Pass
	Perfluorooctane sulfonamide (PFOSA)	< L.O.Q.	<0,1	mg/kg	0,1		Pass
	N-methylperfluoro-1-octanesulfonamide (N-MeFOSA)	< L.O.Q.	<0,1	mg/kg	0,1		Pass
	N-ethylperfluoro-1-octanesulfonamide (N-EtFOSA)	< L.O.Q.	<0,1	mg/kg	0,1		Pass
	2-(N-methylperfluoro-1-octanesulfonamido)-ethanol (N-MeFOSE)	< L.O.Q.	<0,1	mg/kg	0,1		Pass
	2- Perfluorobutylethanol (4:2 FTOH)	< L.O.Q.	<0,1	mg/kg	0,1		Pass
	2- Perfluorohexylethanol (6:2 FTOH)	< L.O.Q.	<0,1	mg/kg	0,1		Pass
	2-Perfluorooctylethanol (8:2 FTOH)	< L.O.Q.	<0,1	mg/kg	0,1		Pass
	2-Perfluorodecylethanol (10:2 FTOH)	< L.O.Q.	<0,1	mg/kg	0,1		Pass
	Perfluorooctanesulfonic acid (PFOS)	< L.O.Q.	<0,1	mg/kg	0,1		Pass
	Perfluoro-1-octanesulfonyl fluoride (POSF)	< L.O.Q.	<0,1	mg/kg	0,1		Pass
Chlorobenzenes and Chlorotoluenes in chemical Inhouse Method: CPSPD-AN-00744 ver 2 2016 Operating Conditions - Solvent extraction - Determination by GC-MS analysis							
	1,2-Dichlorobenzene (CAS N.95-50-1)	< L.O.Q.	<0,5	mg/kg	0,5		Pass
	1,3-Dichlorobenzene (CAS N.541-73-1)	< L.O.Q.	<0,5	mg/kg	0,5		Pass
	1,4-Dichlorobenzene (CAS N.106-46-7)	< L.O.Q.	<0,5	mg/kg	0,5		Pass
	1,2,3-Trichlorobenzene (CAS N.87-61-6)	< L.O.Q.	<0,5	mg/kg	0,5		Pass
	1,2,4 Trichlorobenzene (CAS N.120-82-1)	< L.O.Q.	<0,5	mg/kg	0,5		Pass
	1,3,5-Trichlorobenzene (CAS N.108-70-3)	< L.O.Q.	<0,5	mg/kg	0,5		Pass
	1,2,3,4-Tetrachlorobenzene (CAS N.634-66-2)	< L.O.Q.	<0,5	mg/kg	0,5		Pass
	1,2,3,5-Tetrachlorobenzene (CAS N.634-90-2), 1,2,4,5-Tetrachlorobenzene (CAS N.95-94-3)	< L.O.Q.	<0,5	mg/kg	0,5		Pass

Continuing...

 Approved on behalf of BUREAU VERITAS CERTEST srl by:
 Dr. Verena BARTALINI – Laboratory Manager


Analysis valid for all legal purposes (R.D. 1 march 1928 n.842)



CERTEST

PAGE 7 of 13

RECEIPT 30/11/2017

TESTING DATES FROM 01/12/2017 TO 07/12/2017

COMMITTENT
ONGETTA SRL UNIPERSONALE
VIA DALLA TORRE 5 LEVADA
31047 PONTE DI PIAVE TV

LABORATORY REPORT n° 1729144/E1 - Amendment of 11/12/2017

TEST METHOD	PARAMETER	RESULT	LIMITS	U.M.	L.O.Q.	NOTES	ASSESS."
	Pentachlorobenzene (CAS N.608-93-5)	< L.O.Q.	<0,5	mg/kg	0,5		Pass
	Hexachlorobenzene (CAS N.118-74-1)	< L.O.Q.	<0,5	mg/kg	0,5		Pass
	Chlorobenzene (CAS N.108-90-7)	< L.O.Q.	<0,5	mg/kg	0,5		Pass
	a,a-Dichlorotoluene (CAS N.98-87-3)	< L.O.Q.	<0,5	mg/kg	0,5		Pass
	alpha, alpha, alpha 4-tetrachlorotoluene (CAS N.5216-25-1)	< L.O.Q.	<0,5	mg/kg	0,5		Pass
	Benzotrichloride (CAS N.98-07-7)	< L.O.Q.	<0,5	mg/kg	0,5		Pass
	Benzyl chloride	< L.O.Q.	<0,5	mg/kg	0,5		Pass
Dyestuffs in chemical - Inhouse test Method: CPSD-AN-00757 ver3 2016 Operating Conditions. - Determination by LC-MS analysis	Allergenic Dyes						
	Acid Red 114 (CAS N. 3761-53-3)	< L.O.Q.	<50	mg/kg	50		Pass
	Acid Red 26 (CAS N. 3761-53-3)	< L.O.Q.	<50	mg/kg	50		Pass
	Basic Blue 26 (CAS N. 2580-56-5)	< L.O.Q.	<50	mg/kg	50		Pass
	Basic Green 4 (CAS N. 569-64-2)	< L.O.Q.	<50	mg/kg	50		Pass
	Basic Red 9 (CAS N. 569-61-9)	< L.O.Q.	<50	mg/kg	50		Pass
	Basic Violet 14 (CAS N. 632-99-5)	< L.O.Q.	<50	mg/kg	50		Pass
	Direct Black 38 (CAS N. 1937-37-7)	< L.O.Q.	<50	mg/kg	50		Pass
	Direct Blue 6 (CAS N. 2602-46-2)	< L.O.Q.	<50	mg/kg	50		Pass
	Direct Brown 95 (CAS N.16071-86-6)	< L.O.Q.	<50	mg/kg	50		Pass
	Direct Red 28 (CAS N. 573-58-0)	< L.O.Q.	<50	mg/kg	50		Pass
	Disperse Blue 1 (CAS N. 2475-45-8)	< L.O.Q.	<50	mg/kg	50		Pass
	Disperse Blue 102 (CAS N. 12222-97-8)	< L.O.Q.	<50	mg/kg	50		Pass
	Disperse Blue 106 (CAS N. 12223-01-7)	< L.O.Q.	<50	mg/kg	50		Pass
	Disperse Blue 124 (CAS N. 61951-51-7)	< L.O.Q.	<50	mg/kg	50		Pass
	Disperse Blue 26 (CAS N. 3860-63-7)	< L.O.Q.	<50	mg/kg	50		Pass
	Disperse Blue 3 (CAS N. 2475-46-9)	< L.O.Q.	<50	mg/kg	50		Pass
	Disperse Blue 7 (CAS N. 3179-90-6)	< L.O.Q.	<50	mg/kg	50		Pass
	Disperse Brown 1 (CAS N. 23355-64-8)	< L.O.Q.	<50	mg/kg	50		Pass
	Disperse Orange 1 (CAS N. 2581-69-3)	< L.O.Q.	<50	mg/kg	50		Pass
	Disperse Orange 3 (CAS N. 730-40-5)	< L.O.Q.	<50	mg/kg	50		Pass
	Disperse Orange 11 (CAS N. 82-28-0)	< L.O.Q.	<50	mg/kg	50		Pass
	Disperse Orange 149 (CAS N. 151126-94-2)	< L.O.Q.	<50	mg/kg	50		Pass
	Disperse Orange 37/59/76 (CAS N. 13301-61-6)	< L.O.Q.	<50	mg/kg	50		Pass
	Disperse Red 1 (CAS N. 2872-52-8)	< L.O.Q.	<50	mg/kg	50		Pass
	Disperse Red 11 (CAS N. 2872-48-2)	< L.O.Q.	<50	mg/kg	50		Pass
	Disperse Red 17 (CAS N. 3179-89-3)	< L.O.Q.	<50	mg/kg	50		Pass

Continuing...

Approved on behalf of BUREAU VERITAS CERTEST srl by:
 Dr. Verena BARTALINI – Laboratory Manager



Analysis valid for all legal purposes (R.D. 1 march 1928 n.842)


CERTEST

PAGE 9 of 13

RECEIPT 30/11/2017

TESTING DATES FROM 01/12/2017 TO 07/12/2017

COMMITTENT
ONGETTA SRL UNIPERSONALE
VIA DALLA TORRE 5 LEVADA
31047 PONTE DI PIAVE TV
LABORATORY REPORT n° 1729144/E1 - Amendment of 11/12/2017

TEST METHOD	PARAMETER	RESULT	LIMITS	U.M.	L.O.Q.	NOTES	ASSESS."
	Tripopyltin (TPT)	< L.O.Q.	<0,025	mg/kg	0,025		Pass

Continuing...

 Approved on behalf of BUREAU VERITAS CERTEST srl by:
 Dr. Verena BARTALINI – Laboratory Manager


Analysis valid for all legal purposes (R.D. 1 march 1928 n.842)


CERTEST

PAGE 10 of 13

RECEIPT 30/11/2017

TESTING DATES FROM 01/12/2017 TO 07/12/2017

COMMITTENT
ONGETTA SRL UNIPERSONALE
VIA DALLA TORRE 5 LEVADA
31047 PONTE DI PIAVE TV
LABORATORY REPORT n° 1729144/E1 - Amendment of 11/12/2017

TEST METHOD	PARAMETER	RESULT	LIMITS	U.M.	L.O.Q.	NOTES	ASSESS."
	Sample 1729144.02						
Solvent extraction and GC-MS analysis							
	Flame retardants						
	Polybrominatedbiphenyls (PBB)	< L.O.Q.	below detection limits	mg/kg		BVG	Pass
	Monobromo biphenyls (MonoBB)	< L.O.Q.	below detection limits	mg/kg		BVG	Pass
	Dibromo biphenyls (DiBB)	< L.O.Q.	below detection limits	mg/kg		BVG	Pass
	Tribromo biphenyls (TriBB)	< L.O.Q.	below detection limits	mg/kg		BVG	Pass
	Tetrabromo biphenyls (TetraBB)	< L.O.Q.	below detection limits	mg/kg		BVG	Pass
	Pentabromo biphenyls (PentaBB)	< L.O.Q.	below detection limits	mg/kg		BVG	Pass
	Hexabromo biphenyls (HexaBB)	< L.O.Q.	below detection limits	mg/kg		BVG	Pass
	Heptabromo biphenyls (HeptaBB)	< L.O.Q.	below detection limits	mg/kg		BVG	Pass
	Octabromo biphenyls (OctaBB)	< L.O.Q.	below detection limits	mg/kg		BVG	Pass
	Nonabromo biphenyls (NonaBB)	< L.O.Q.	below detection limits	mg/kg		BVG	Pass
	Decabromo biphenyl (DecaBB)	< L.O.Q.	below detection limits	mg/kg		BVG	Pass
	Polybrominated diphenyl ethers (PBDEs)	< L.O.Q.	below detection limits	mg/kg		BVG	Pass
	Monobromo diphenyl ethers (MonoBDE)	< L.O.Q.	below detection limits	mg/kg		BVG	Pass
	Dibromo diphenyl ethers (DiBDE)	< L.O.Q.	below detection limits	mg/kg		BVG	Pass
	Tribromo diphenyl ethers (TriBDE)	< L.O.Q.	below detection limits	mg/kg		BVG	Pass
	Tetra-bromodiphenyl ether (TetraBDE)	< L.O.Q.	below detection limits	mg/kg		BVG	Pass
	Penta-bromodiphenyl ether (PentaBDE)	< L.O.Q.	below detection limits	mg/kg		BVG	Pass
	Hexabromo diphenyl ethers (HexaBDE)	< L.O.Q.	below detection limits	mg/kg		BVG	Pass
	Heptabromo diphenyl ethers (HeptaBDE)	< L.O.Q.	below detection limits	mg/kg		BVG	Pass
	Octa-bromodiphenyl ether (OctaBDE)	< L.O.Q.	below detection limits	mg/kg		BVG	Pass
	Nonabromo diphenyl ethers (NonaBDE)	< L.O.Q.	below detection limits	mg/kg		BVG	Pass
	Decabromodiphenyl ether (DecaBDE)	< L.O.Q.	below detection limits	mg/kg		BVG	Pass
	Tris (2,3-dibromopropyl)-phosphate (TRIS)	< L.O.Q.	below detection limits	mg/kg		BVG	Pass
	Tris(2-chloroethyl)phosphate (TCEP)	< L.O.Q.	below detection limits	mg/kg		BVG	Pass
	Tetrabromo-bisphenol A (TBBPA)	< L.O.Q.	below detection limits	mg/kg		BVG	Pass

Continuing...

 Approved on behalf of BUREAU VERITAS CERTEST srl by:
 Dr. Verena BARTALINI – Laboratory Manager


Analysis valid for all legal purposes (R.D. 1 march 1928 n.842)


CERTEST

PAGE 11 of 13

RECEIPT 30/11/2017

TESTING DATES FROM 01/12/2017 TO 07/12/2017

COMMITTENT
ONGETTA SRL UNIPERSONALE
VIA DALLA TORRE 5 LEVADA
31047 PONTE DI PIAVE TV
LABORATORY REPORT n° 1729144/E1 - Amendment of 11/12/2017

TEST METHOD	PARAMETER	RESULT	LIMITS	U.M.	L.O.Q.	NOTES	ASSESS."
	Tris (1-aziridinyl)-phosphine oxide (TEPA) (CAS N. 545-55-1)	< L.O.Q.	below detection limits	mg/kg		BVG	Pass
	Tris(2,3-Dibromopropyl)-Phosphate (TRIS)	< L.O.Q.	below detection limits	mg/kg		BVG	Pass
	Antimony trioxide	< L.O.Q.	below detection limits	mg/kg		BVG	Pass
	Boric acid	< L.O.Q.	below detection limits	mg/kg		BVG	Pass
	Boron trioxide	< L.O.Q.	below detection limits	mg/kg		BVG	Pass
	Sodium tetraborate	< L.O.Q.	below detection limits	mg/kg		BVG	Pass
	Tri-o-cresyl phosphate	< L.O.Q.	below detection limits	mg/kg		BVG	Pass
	Tris(1,3-dichloro-2-propyl)phosphate (TDCPP)	< L.O.Q.	below detection limits	mg/kg		BVG	Pass
	Exabromocyclododecane (HBCDD)	< L.O.Q.	below detection limits	mg/kg		BVG	Pass

Notes

< L.O.Q.: Not detectable analytically

(1) = If the use of this analytical method has detected 4-aminodiphenyl and/or 2-naphtylamine, according to the current state of knowledge it cannot be unequivocally confirmed without additional information that azo colorants which release amines were used.

MDA =

In case of polyurethane materials are used, e.g. PU foams and coatings and in prints, it cannot be ruled out that certain amines, e.g. 4,4'-methylene-dianiline (MDA, CAS number 101-77-9) are released from the PU component and not from a banned azo colorant.

In case of pigment prints care has to be taken that 4,4'-methylene-dianiline is not released from a source of banned azo colorants but from e.g. a chemical fixing agent.

TDA = In case of polyurethane materials are used, e.g. PU foams and coatings and in prints, it cannot be ruled out that certain amines, e.g. 2,4-toluen-diamine (TDA, CAS 95-80-7) are released from the PU component and not from a banned azo colorant.

BVG = Test executed at Bureau Veritas Germany - Wilhelm-Hennemann-Str. 8, 19061 Schwerin, Germany

BV-Sch: Test executed at Bureau Veritas Germany - Wilhelm-Hennemann-Str. 8, 19061 Schwerin, Germany

In case of non-indication from the client of the category of the material to be tested, the laboratory will identify it and will test it according to the specifics of the defined category.

" The assessment is obtained by the comparison between the Result of the analysis ("Result" column) and the required Limit ("Limit" column).

Limits: Values indicated in the Limits column refer to the requirements stated in the document named in the "Requirements" field of the "Denomination" section

U.M.: Units of Measurement

L.O.Q.: Limit of Quantification

Assess.: Assessment

Pass: the test result is conform to the standard required

Fail: the test result is not conform to the standard required

N/A: it is not possible to carry out the test, or the test result can not be defined as "Pass" or "Fail"

The evaluations of change in color are carried out in accordance with ISO 105-A02 (or GB/T 250 for Chinese market methods), the evaluations of color staining are carried out in accordance with ISO 105-A03 (or GB/T 251 for Chinese market methods).

BWS: Blue Wool Scale

GSR: Grey Scale Rating

Amendment of test report number 1729144

Continuing...

 Approved on behalf of BUREAU VERITAS CERTEST srl by:
 Dr. Verena BARTALINI – Laboratory Manager


Analysis valid for all legal purposes (R.D. 1 march 1928 n.842)


CERTEST

PAGE 12 of 13

RECEIPT 30/11/2017

TESTING DATES FROM 01/12/2017 TO 07/12/2017

 COMMITTENT
ONGETTA SRL UNIPERSONALE
VIA DALLA TORRE 5 LEVADA
31047 PONTE DI PIAVE TV

LABORATORY REPORT n° 1729144/E1 - Amendment of 11/12/2017

This report has been issued by Bureau Veritas Certest s.r.l. quality system and well documented by our own quality manual and related procedures. Results reported have been achieved applying rules and/or technical procedures specified in the following pages and they refer only to the sample submitted to tests in our laboratory and not the whole lot they represent. Reproduction of this document is allowed only with an exact copy of the original. Partial reproduction of this documents allowed subject to Bureau Veritas Certest s.r.l. approval and is registered with the referring report number. Only the original report is valid and partial re production of this document is allowed subject to Bureau Veritas Certest s.r.l. approval and is registered with the referring report number. The use of this report in a judicial process must be expressly authorized by Certest srl. The records related to the analyzes carried out are retained for a period of 48 months. Samples tested are stored for one year if not otherwise required.

The expanded uncertainty (U) is calculated with a coverage factor k=2 for a confidence level of 95% and a number of degrees of freedom greater than or equal to 10.

Whenever the supplied sample amount is not enough to perform all the trials required by the Method, the laboratory will perform the higher number of tests with the provided material.

Copy of digitally signed file

Approved on behalf of BUREAU VERITAS CERTEST srl by:
 Dr. Verena BARTALINI – Laboratory Manager



Analysis valid for all legal purposes (R.D. 1 march 1928 n.842)


CERTEST

PAGE 13 of 13

RECEIPT 30/11/2017

TESTING DATES FROM 01/12/2017 TO 07/12/2017

 COMMITTENT
ONGETTA SRL UNIPERSONALE
VIA DALLA TORRE 5 LEVADA
31047 PONTE DI PIAVE TV
LABORATORY REPORT n° 1729144/E1 - Amendment of 11/12/2017

 Approved on behalf of BUREAU VERITAS CERTEST srl by:
 Dr. Verena BARTALINI – Laboratory Manager


Analysis valid for all legal purposes (R.D. 1 march 1928 n.842)